5

I claim:

- 1. A formluation for controlling a lice infestation in a human comprising as an active ingredient a spinosyn, or a physiologically acceptable derivative or salt thereof, and a physiologically acceptable carrier.
- 2. A formulation of Claim 1 that is a hair care formulation.
 - 3. A pediculididal shampoo comprising:
 - (a) from about 0.1% to about 30% of a spinosyn, or a physiologically acceptable derivative or salt thereof;
 - (b) from about 5% to about 30% of a synthetic surfactant;
 - (c) from about 1% to about 7% of an amide; and
 - (d) water.

20

-52-

5

- 4. A shampoo of Claim 3 wherein the synthetic surfactant is anionic, amphoteric, cationic, zwitterionic, or non-ionic, or a mixture thereof.
- 5. A shampoo of Claim 4 wherein the amide is coconut monoethanolamide, coconut diethanolamide or a mixture thereof.
- 6. A shampoo of Claim 4 additionally comprising from about 1% to about 10% of a non-volatile silicone material.
- 7. A shampoo of Claim wherein the non-volatile silicone is a polyalkyl siloxane, polyalkylaryl siloxane, polyether siloxane co-polymer, or a mixture thereof, whose viscosity is from about 100 centipoise to about 150,000,000 centipoise at 25°.
- 8. A shampoo of Claim 7 additionally comprising from about 0.5% to about 5% of a suspending agent selected from the group consisting of crystalline amphiphilic materials having needle-like or platelet structures,

5

polymeric materials, clays, fumed metal oxides, and mixtures thereof.

- 9. A shampoo of Claim 8 wherein the suspending agent is a crystalline amphiphilic material selected from the group consisting of long chain C_{16} - C_{22} acyl derivatives, long chain C_{16} - C_{22} alkanolamides of fatty acids, and mixtures thereof.
- 10. A shampoo of Claim 9 wherein the suspending agent is an ethylene glycol diester.
- 11. A shampoo of daim 4 wherein the amount of a spinosyn, or derivative or salt thereof, is at a level from about 0.25% to about 1.5%.
- 12. A method for controlling a lice infestation in a human comprising topically administering a formulation of Claim 1 to the human.
- 13. The method of Claim 12 wherein the lice infestation is *Pediculus humanus capitis*.

20

5

- 14. The method of Claim 12 wherein the lice infestation is Pediculus humanus humanus.
- 15. The method of Claim 12 wherein the lice infestation is *Pthirus pubis*.
- 16 A method for treating human hair to kill and facilitate removal of lice and their eggs comprising the steps of:
 - (a) applying from about 10 g to about 30 g of a formulation comprising a spinosyn, or a physiologically acceptable derivative or salt thereof, and a physicologically acceptable carrier to wet hair;
 - (b) working the formulation through the hair and scalp;
 - (c) leaving the formulation on the hair and scalp for about 6-10 minutes;
 - (d) removing the formulation from the hair by rinsing, with water.

add a²